

Cod: 8647

2 door stainless steel refrigerated cabinet 1400 litres, ventilated -2 +8 °C tropicalized



Description

The **2-door refrigerated cabinet for bakeries and restaurants** is an indispensable tool in the kitchen. **Practical, capacious and easy to clean.**

Manufactured to high quality standards, the refrigerated ristoattrezzature cabinet is characterised by its **low energy consumption** and the possibility to adjust its height thanks to **AISI 304 stainless steel feet.**

Its structure offers capacity and maximum hygiene in use. **Ideal to complete the furnishing of your venue.**

Design and operation

Our **2-door refrigerated cabinet for gastronomy** stands out for its essential and professional lines. A technical design designed to adequately support you in food storage. **Solid and durable**

construction makes it an excellent ally in the kitchen.

Completely made of stainless steel, its interior has **rounded corners** for easy cleaning. Our cabinet has **2 solid doors with ergonomic handles**, an easily removable magnetic seal and a **key lock** for the refrigerated compartment.

Refrigeration is **ventilated** and cold is produced by an external evaporator. The **anti-corrosion treatment** is designed to prevent oxidation that would form as a result of the formation of frost/condensation in normal refrigerator operation.

The **presence of an electrical resistance** inserted in the door frame ensures the **elimination of condensation**. The **evaporation** of condensation water is **automatic**.

The refrigerated cabinet for gastronomy has an **operating temperature of -2° C to + 8° C** and can be easily controlled and **regulated by means of a digital thermostat** on the front panel, which also controls the defrosting operation.

Our **2-door refrigerated cabinet** is equipped with:

- **LED interior light;**
- **6 GN2/1 grids;**
- **6 pairs of slides;**
- **lock with key;**
- **tropicalised compressor.**

The presence of this last element allows the refrigerated cabinet to work with a 100% yield up to a maximum ambient temperature of +43°C, with a relative humidity of 60%.

Its **external dimensions are 1480x830x2010 mm**, its internal dimensions 1364x702x1401 mm for a **total capacity of 1300 litres**.

2-door refrigerated cabinet: cleaning and maintenance

With our 2-door **stainless steel refrigerated cabinet**, cleaning and maintenance have never been easier.

In fact, the cell inside has **rounded corners** to facilitate this operation and offer practicality and hygiene in use.

For any maintenance, on the other hand, **you can effortlessly remove the rear compartment** where the 230 V motor for 50 Hz power is located.

Why it's the right product for you

Refrigerated cabinets are an indispensable piece of equipment in the gastronomy sector to ensure adequate and correct preservation of the food that will go to make up your dishes or desserts.

Choose our 2-door refrigerated cabinet and **optimise your work space** by ensuring

- **working comfort**
- **durability**
- **high performance**
- **low consumption**

- **versatility.**

Buy the refrigerated cabinet for catering and work in respect of the environment thanks to the **eco-sustainable gas used for cooling: the 100% natural source R290.**

Discover the details in the data sheet.

Dimensions

Dimensioni esterne	1480x830x2010 mm
Dimensioni interne	1364x702x1401 mm

Technical data

Alimentazione	Electric
Capacità	1300 Lt
Classe energetica	D
Compressore	embraco
Frequenza	50 Hz
Gas refrigerante	R290
Potenza Elettrica	0.44 kW
Refrigerazione	ventilated
Temperatura ambiente massima	43 °C
Temperatura d'esercizio	-2 +8 °C
Termostato	dixell
Voltaggio	230 V