

Cod: 9410

## Complete ice-cream basic kit

---



### Description

Ristoattrezzature offers 'Your complete basic ice cream parlour' consisting of:

**1)** Manual extraction mixer indispensable for pastry shops, restaurants, hotels and communities that do not want to renounce product quality with maximum yield and minimum cost. Agitator with long-lasting polyethylene (PE) scraper blade. All parts in contact with the mixture or ice cream are made of stainless steel and non-toxic material that are easily accessible and removable for cleaning. Easy cleaning and safe hygiene with the wash water drain located directly on the ice cream production tank. Control panel with timer and reset allows adjustment of stirring speed and ideal cycle duration in relation to the type of mixture. Double lid for inserting ingredients with the stirrer in motion. Micro magnet for stopping the stirrer when opening the lid. The vertically positioned production tank allows you to control the processing of the mixture during the entire working phase.

**2)** The stainless steel sink 50x60x85h cm 1 basin with splashback has a strong and durable structure in AISI 304 18/10 stainless steel.

All our stainless steel is certified for use in kitchen laboratories and to come into contact with food.

The sink has a back splashback, a shelf and a moulded and welded bowl. Thanks to adjustable feet, the height can be adjusted.

3 ) Stainless steel refrigerated cabinet 1 door 700 l, ventilated -2 +8 °C

4 ) Stainless steel refrigerated freezer cabinet 1 door 700 lt, ventilated -18 -22 °C

5 ) Stainless Steel Work Table with Steel Shelf. Table with a height of 85 cm, depth of 60 cm and length of 100 cm.

**6) Stunning** horizontal ice cream display case ideal for ice cream parlours and establishments that wish to include ice cream among their offerings. Trays not included.

Strong points:

- High-efficiency compressor
- Lock
- Four wheels, two of which with brakes
- Tempered glass sliding doors for maximum energy saving
- Digital thermostat for temperature control
- Air-cooled condenser
- Aluminium inner tank body and white sheet metal exterior
- 100 % designed and manufactured in Europe

**In basso la scheda tecnica di ogni prodotto del Kit:**

SKU: 1192

**Ice Cream Maker with manual extraction air condensation capacity 2 lt with wheels**

#### Dimensions

Dimensioni esterne	435x710x1080 mm
--------------------	-----------------

#### Technical data

Alimentazione	Electric
Frequenza	50 Hz
Peso netto	66 kg
Produzione gelato	2 Lt
Produzione lt/h	10 Lt/h
Voltaggio	230 V

SKU: 10564006244547

**Ice cream display cabinet curved glass 8 flavours static refrigeration 148.7x65x131.5h cm -18 -24°C**

## Dimensions

Dimensioni esterne	1487x650x1315 mm
Dimensioni imballo	1514x685x850 mm
Dimensioni interne	1366x529x658 mm

## Technical data

Alimentazione	Electric
Capacità	432 Lt
Capacità netta	330 Lt
Capacità vaschette	8
Classe energetica	F
Consumo elettrico	4.213 Kw/24h
Consumo elettrico	1538 Kw/anno
Frequenza	50 Hz
Gas refrigerante	R290
Peso	98 kg
Peso lordo	112 kg
Potenza Elettrica	0.28 kW
Refrigerazione	static
Rumorosità	47 db
Temperatura ambiente massima	35 °C
Temperatura d'esercizio	-18 -24 °C
Voltaggio	230 V

SKU: 4678

## **Stainless Steel Sink/Washbasin 1 in Stainless Steel 50x60 cm**

## Dimensions

Dimensioni esterne	500x600x850 mm
Dimensioni vasca	400x400x300 mm

## Technical data

Dimensioni testa	24 x 10 cm
Materiale	stainless steel

SKU: 8645

## **Stainless steel refrigerated cabinet 1 door 700 lt, ventilated -2 +8 °C tropicalized**

### **Dimensions**

Dimensioni esterne	740x830x2010 mm
Dimensioni interne	624x702x1401 mm

### **Technical data**

Alimentazione	Electric
Capacità	650 Lt
Classe energetica	D
Compressore	embraco
Frequenza	50 Hz
Gas refrigerante	R290
Potenza Elettrica	0.215 kW
Refrigerazione	ventilated
Temperatura ambiente massima	43 °C
Temperatura d'esercizio	-2 +8 °C
Termostato	dixell
Voltaggio	230 V

### **Standard equipment**

In dotazione	3 griglie GN2/1
--------------	-----------------

SKU: 100562001

## **Stainless steel table 100x60x85h cm on legs with EC bottom surface**

### **Dimensions**

Dimensioni esterne	1000x600x850 mm
--------------------	-----------------

### **Technical data**

Capacità di carico	300 kg
Materiale	aisi 304 stainless steel

SKU: 11535063012

## **Stainless steel refrigerated freezer cabinet 1 door 700 l -18 -22°C tropicalized**

## Dimensions

Dimensioni esterne	740x830x2010 mm
Dimensioni imballo	765x855x2060 mm
Dimensioni interne	616x710x1400 mm

## Technical data

Alimentazione	Electric
Capacità	700 Lt
Capacità netta	610 Lt
Classe energetica	D
Frequenza	50 Hz
Gas refrigerante	R290
Peso	92 kg
Potenza Elettrica	0.38 kW
Refrigerazione	ventilated
Sbrinamento	manual
Temperatura ambiente massima	43 °C
Temperatura d'esercizio	-18 -22 °C
Voltaggio	230 V

## Standard equipment

In dotazione	3 griglie e 3 coppie di guide
--------------	-------------------------------