

Cod: 9542

Refrigerated bar counter 1360x700x1100h mm



Description

The refrigerated bar counter is the central element of your bar and should be chosen carefully, selecting only highly professional products. Made with an internal and external structure in stainless steel, our bar counter ensures solidity and excellent performance. The polished finish gives style to the work environment and its ease of cleaning ensures maximum hygiene. The corner at the bottom is rounded for easy cleaning. The product is equipped with 2 self-closing doors, 2 grids and adjustable feet that can easily adapt to your working environment. Design and operation The refrigerated bar counter measures 1360x700x1100h mm and consists of 2 useful doors with a grid each. Additional drawers and grids are available as options. The full-length ergonomic handle makes it easy to grip, and the closure is automatic, allowing you to take your drinks quickly and without wasting energy. countertop is divided into two levels: raised shelf and worktop with sink. On the right side is the energy-saving motor with on/off button. The shelf measures 1360x250x251h mm, the grids are 30x555 mm in size, and the insulation thickness is 60 mm, which ensures a perfect thermal seal. Its capacity is 280 litres for 822x570x580 mm internal dimensions. As far as its operation is concerned, Ristoattrezzature's bar counter has an operating temperature of -2 +8 °C and can be constantly regulated and controlled thanks to an electronic thermostat. Water evaporation is automatic and defrosting is electrical. The Embraco

compressor employs the environmentally friendly R290 gas, which provides excellent thermodynamic performance while respecting the environment. The refrigerated bar counter weighs 95 kg, has an electrical consumption of 1.34 Kw/24h, frequency 50 Hz and electrical power 0.25 kW. The refrigeration unit is tropicalised, which enables the bar counter to withstand high ambient temperatures (maximum 43 °C). Why it's the right product for you Energy class A for this bar counter that offers compactness, capacity and resistance: everything you need in a professional establishment. Designed to guarantee excellent performance in all areas of the catering industry, the counter is made of top quality steel to ensure maximum durability. Choosing this refrigerated bar counter means relying on constant product quality over time at an attractive price. Not only that, thanks to the natural gas used you can work in an environmentally friendly way, reducing your bill costs. R290 gas, in fact, ensures low consumption and reduces harmful emissions into the air. Discover all the details in the detailed technical data sheet and customise your professional bar counter with the accessories in our online catalogue.

In basso la scheda tecnica di ogni prodotto del Kit:

SKU: acc-rip1360

Support shelf 1360x250x251h mm

SKU: 6176

Class A energy-saving stainless steel refrigerated table 2 doors -2 +8 °C 1360x700x850 h mm

Dimensions

Dimensioni esterne	1360x700x850 mm
Dimensioni griglie	330x555 mm
Dimensioni interne	822x570x580 mm
Spessore coibentazione	60 mm

Technical data

Capacità	280 Lt
Classe energetica	A
Compressore	embraco emb46clc
Consumo elettrico	1.34 Kw/24h
Frequenza	50 Hz
Gas refrigerante	R600A
Peso	95 kg
Potenza Elettrica	0.25 kW
Refrigerazione	ventilated
Sbrinamento	air defrost

Temperatura ambiente massima	43 °C
Temperatura d'esercizio	-2 +8 °C
Termostato	dixell/carel
Voltaggio	230 V

Standard equipment

In dotazione	1 Griglia per porta
--------------	---------------------