

Cod: 9572

**3-door pizza counter 2020x800x1000h mm for restaurant pizzeria complete with display case for 10 GN 1/4 trays tropicalized**



## Description

Ventilated stainless steel refrigerated pizza counter with 3 doors, dimensions 2020x800x1000h mm, for pizzeria-restaurant with static drum display case for 10 GN 1/4 trays with temperature +2 +8 °C.

The product has a rounded corner on the bottom for easy cleaning and is equipped with wheels. Self-closing doors. Magnetic seals, easy to clean and replace.

The cooling unit is tropicalised, i.e. it can work in an outdoor environment with a temperature of up to +40°C/42°C and 65% relative humidity.

The operating temperature exploits a range of -2° C/ + 8° C and can be easily adjusted thanks to a Dixell electronic controller with temperature display.

The temperature can also be easily read on a digital thermostat located on the front wall of the counter.

The counter is equipped with 3 doors fitted with a heating element to eliminate condensation and an easily removable magnetic seal.

Above the pizza counter is a stainless steel display case with protective glass with static refrigeration for 10 GN1/4 trays.

The display case has a positive temperature ( + 2° C/ + 8° C ) and external dimensions 2000x335x435h mm

Trays and lids are available as optional extras.

### In basso la scheda tecnica di ogni prodotto del Kit:

SKU: 92070030041675

#### **3-door pizza counter 2020x800x1000h mm for pizzeria restaurant tropicalised**

##### **Dimensions**

Dimensioni esterne	2020x800x1000 mm
--------------------	------------------

##### **Technical data**

Alimentazione	Electric
Capacità	580 Lt
Classe energetica	D
Compressore	embraco
Frequenza	50 Hz
Gas refrigerante	R290
Refrigerazione	ventilated
Temperatura ambiente massima	43 °C
Temperatura d'esercizio	-2 +8 °C
Termostato	dixell
Voltaggio	230 V

SKU: 88260001006001

#### **Refrigerated display case for condiments, pizza crusts GN 1/4 2000x335x435h mm +2 +8 °C a with energy-saving right-hand motor**

##### **Dimensions**

Dimensioni esterne	2000x335x435 mm
--------------------	-----------------

**Technical data**

Alimentazione	Electric
Capacità vaschette	10 GN 1/4
Compressore	embraco, zanussi
Frequenza	50 Hz
Gas refrigerante	R600A
Potenza Elettrica	0.11 kW
Refrigerazione	static
Temperatura ambiente massima	32 °C
Temperatura d'esercizio	+2 +8 °C
Termostato	dixell
Voltaggio	230 V