

Cod: 9572

3-door pizza counter 2020x800x1000h mm for restaurant pizzeria complete with display case for 10 GN 1/4 trays tropicalized



Description

Ventilated stainless steel refrigerated pizza counter with 3 doors, dimensions 2020x800x1000h mm, for pizzeria-restaurant with static drum display case for 10 GN 1/4 trays with temperature +2 +8 °C. The product has a rounded corner on the bottom for easy cleaning and is equipped with wheels. Self-closing doors. Magnetic seals, easy to clean and replace. The cooling unit is tropicalised, i.e. it can work in an outdoor environment with a temperature of up to +40°C/42°C and 65% relative humidity. The operating temperature exploits a range of -2° C/ + 8° C and can be easily adjusted thanks to a Dixell electronic controller with temperature display. The temperature can also be easily read on a digital thermostat located on the front wall of the counter. The counter is equipped with 3 doors fitted with a heating element to eliminate condensation and an easily removable magnetic seal. Above the pizza counter is a stainless steel display case with protective glass with static refrigeration for 10 GN1/4 trays. The display case has a positive temperature (+ 2° C/ + 8° C) and external dimensions 2000x335x435h mm Trays and lids are available as optional extras.

In basso la scheda tecnica di ogni prodotto del Kit:

SKU: 92070030041675

3-door pizza counter 2020x800x1000h mm for pizzeria restaurant tropicalised

Dimensions

Dimensioni esterne	2020x800x1000 mm
--------------------	------------------

Technical data

Alimentazione	Electric
Capacità	580 Lt
Compressore	embraco
Frequenza	50 Hz
Gas refrigerante	R290
Refrigerazione	ventilated
Temperatura ambiente massima	43 °C
Temperatura d'esercizio	-2 +8 °C
Termostato	dixell
Voltaggio	230 V

SKU: 88260001006001

**Refrigerated display case for condiments, pizza crusts GN 1/4 2000x335x435h mm +2 +8 °C
a with energy-saving right-hand motor**

Dimensions

Dimensioni esterne	2000x335x435 mm
--------------------	-----------------

Technical data

Alimentazione	Electric
Capacità vaschette	10 GN 1/4
Compressore	embraco, zanussi
Frequenza	50 Hz
Gas refrigerante	R600A
Potenza Elettrica	0.11 kW
Refrigerazione	static

Temperatura ambiente massima	32 °C
Temperatura d'esercizio	+2 +8 °C
Termostato	dixell
Voltaggio	230 V