

Cod: 9582065004012

Stainless steel refrigerated freezer cabinet 1 door 400 l static -10 -22°C



Description

The refrigerated freezer cabinet is a useful element in professional kitchens for storing frozen and deep-frozen food at temperatures below 0°C.

Features of a refrigerated freezer cabinet

The refrigerated freezer cabinet enables food to be deep-frozen and frozen at low temperatures.

The external structure is stainless steel with a white ABS interior, a HACCP-compliant material.

The temperature range for this model is -10°C (for freezing) and -22°C (for deep-freezing). The type of refrigeration is static, with dixell thermostat, 4 adjustable feet and automatic defrost function.

Refrigerated freezer cabinet capacity

This model of refrigerated freezer cabinet has a capacity of 400 litres, with six internal shelves to store food neatly.

How to clean Stainless steel refrigerated freezer cabinet 1 door 400 litres static -10 -22°C

Regularly cleaning the freezer cabinet is useful to pay more attention to the expiry date of frozen or deep-frozen food.

Even food stored at negative temperatures has, in fact, its own natural expiry date, after which the food may lose some of its organoleptic properties.

Below is a handy table to remind you of the storage times for frozen foods:

- fruit and vegetables: 8-12 months
- raw thin meat: 1 month
- cooked meat: 2 months;
- minced meat: 3 months;
- thicker meat: up to 12 months.

To clean the refrigerated freezer cabinet, we recommend completely emptying the interior and cleaning it using a non-aggressive kitchen detergent and a non-abrasive sponge.

Place the freezer upright and leave it switched off for at least four hours after delivery to allow the compressor oil to stabilise properly.

Dimensions

Dimensioni esterne	600x615x1870 mm
Dimensioni imballo	645x625x2100 mm
Dimensioni interne	510x485x1660 mm
Spessore coibentazione	60 mm

Technical data

Alimentazione	Electric
Capacità	400 Lt
Capacità netta	360 Lt
Classe climatica	4
Classe energetica	B
Consumo elettrico	2.18 Kw/24h
Frequenza	50 Hz

Gas refrigerante	R290
Materiale	abs, stainless steel
Potenza Elettrica	0.23 kW
Refrigerazione	static
Sbrinamento	automatic
Temperatura d'esercizio	-10 -22 °C
Termostato	dixell
Voltaggio	230 V

Standard equipment

In dotazione	6 mensole e 4 piedini regolabili
--------------	----------------------------------