

Cod: 97131754065006

## Smeg UD505DS Series Ecoline HTR System dishwasher with basket 500x500 mm 5.65 kW with softener



### Description

Professional under counter dishwasher, 500x500 mm single-wall basket, detergent dispenser, softener, HTR rinse system

- Control panel: electronic
- No. of programmes: 3
- Hourly baskets: 40 / 24 / 15
- Basket dimensions: 500x500 mm
- Useful load height: 365 mm
- Rinse aid dispenser: electronically controlled peristaltic pump
- Detergent dispenser: electronically controlled peristaltic pump
- Thermal-acoustic insulation: door
- Softener: Integrated
- Washing/rinsing impellers: n.2 combined washing and rinsing impellers with quick release system
- Washing system: Washing pump with 'Soft Start' system

- Washing pump power: 0.7 kW
- Drain system: Drain pump for partial outflow of wash water, inspectable
- Filter system: Integral plastic tank filter and double filter in the suction shaft with microfilter to protect the pump
- Rinsing system: rinse pump and atmospheric boiler (HTR System)
- Tank heating element: 2.0 kW
- Boiler heating element: 5 kW
- Weight (net/gross): 54/62 kg
- TOTAL RINSING' function for water in the tank after each wash
- EXTRA RINSE' function for prolonged rinsing
- Insulated double-walled door
- Moulded basket guides
- Boiler equipped with drain hose for complete draining
- Selectable 'Drain and clean tank' cycle
- Thermostop for rinsing water temperature control
- Self-diagnosis system with fault indication
- Heater 'Stand-by' function during periods of non-use
- Integrated break-tank
- Tank with rounded corners

## Dimensions

Dimensioni esterne	568x598x820 mm
--------------------	----------------

## Technical data

Alimentazione	Electric
Capacità	13 Lt
Capacità boiler	6 Lt
Consumo d'acqua	3.2 kg
Frequenza	50 Hz
Materiale	aisi 304 stainless steel
Potenza Elettrica	5.65 kW
Voltaggio	230 V, 400 V

## Standard equipment

In dotazione	Cesto per piatti, max 18 pezzi Ø 250 mm, Cesto universale con fondo piano, Cestello per posate a 6 scomparti
--------------	--

