

Cod: 983300217332

**Black glass 4-sided refrigerated pastry display case 58 lt 0 +12 °C  
42,8x38,6x81h cm**



## **Description**

Ristoattrezzature's **pastry display** refrigerator is a refrigeration machine that also has a display function.

Inside it is possible to **keep pastry products such as cakes, pies or drinks fresh for bars and restaurants**. The temperature is positive and the view is 360°, thanks to the presence of **glass on all four sides**.

Ideal in the dining room to facilitate the customer's choice, the showcase refrigerator can **enhance the appearance of your preparations thanks to the internal lighting**. The industrial style makes it **modern and professional**, able to adapt to any environment.

## **Design and operation**

Made of **tempered glass and black ABS**, the **58-litre bakery display cabinet refrigerator** is

spacious and robust. The polymer of which it is made is particularly resistant **to humidity and low temperatures**, making it ideal for use in professional refrigeration. Not only that, it is **stress-resistant, elegant and adaptable to all types of decor**. **The refrigerated beverage display case is equipped with a hinged glass front door** for easy insertion and removal of products.

**The operating temperature ranges from 0° +12 °C and is adjustable via a digital thermostat.** Monitoring is by means of an **LCD display** at the front, next to the indicator lights and power button. **Internal LED lighting** facilitates proper presentation of drinks and desserts. The power **supply is electrical, with a voltage of 230V and a power of 0.19 kW**. **Refrigeration is of the ventilated type**: an internal evaporator distributes the cold evenly over the entire display surface.

The **overall external dimensions are 428x386x810 mm** for a **total weight of 32 kg**. Inside, it is equipped with **two large, adjustable plastic-coated grids of 355x310 mm each**.

## Cleaning and maintenance

**Ristoattrezzature's refrigerated display refrigerator is equipped with automatic defrosting.** This feature means that this operation does not have to be carried out by hand, saving time. **The condenser is also maintenance-free**, and an external tube removes the condensate.

All that remains is to clean it internally, an operation that must be carried out regularly: **the grids must be removed and cleaned with a specific product**. **Tempered glass can be washed with lukewarm water and soap** but needs special care when drying to avoid the formation of halos.

## Why it is the right product for you

**The refrigerated display cabinet for bars and pastry shops is a robust, high-performance piece of equipment with ample capacity** and a minimalist design. Its adjustable feet make it adaptable to your needs, but it is above all its energy class, and the type of refrigerant gas it uses, that makes the difference.

The pastry display refrigerator is in fact **classified in band C** boasting low annual consumption, only **1013 Kwh**.

Less is spent on bills but it is also **environmentally friendly**: this machine uses the **refrigeration gas R290 110% natural**, which does not damage the ozone layer. The gas is completely **non-toxic and offers excellent thermodynamic properties**.

It is advisable to place the refrigerator in an upright position after transport and wait at least 3 hours before putting it into operation, to facilitate the settling of the refrigerant gas.

## Dimensions

Dimensioni esterne	428x386x810 mm
Dimensioni imballo	470x435x860 mm
Dimensioni interne	400x340x470 mm

## Technical data

Alimentazione	Electric
Capacità	58 Lt
Classe energetica	C
Frequenza	50 Hz
Gas refrigerante	R290
Peso	32 kg
Peso lordo	34 kg
Potenza Elettrica	0.19 kW
Temperatura d'esercizio	0 +12 °C
Voltaggio	230 V

## Standard equipment

In dotazione	2 griglie plastificate 355x310mm, luce interna LED e piedini regolabili
--------------	--