

Cod: 104440012063

Stainless steel refrigerated freezer cabinet 1 solid door 700 l ventilated -10 -22°C



Description

The product features an all-AISI 304 stainless steel construction with a solid door.

General features:

- 2/1 Gastronorm cabinets with a depth of 815 mm
- interior with rounded corners and moulded bottom
- 75 mm ecological polyurethane insulation
- racks (52 mm pitch) and AISI 304 stainless steel guides
- ventilated refrigeration with evaporator treated with anti-corrosion paint
- easily replaceable monobloc refrigerating unit
- solid door models with SN-T class condensing unit (max +43°C)
- refrigerant gas R290 (propane)
- electronic Energy Saving control panel with HACCP function
- temperature and dirty condenser alarm management
- rapid cooling "Overcooling" function

- possibility of high and low humidity setting
- automatic hot gas defrosting
- serial port for connection to supervisory systems
- automatic condensate evaporation with hot gas tube
- internal lighting
- key lock
- self-closing doors with 105° stop
- easily replaceable magnetic seals
- height-adjustable stainless steel feet (130-200 mm)

N.B. :To take advantage of the Industry 4.0 tax credit select the WIFI option.

Dimensions

Dimensioni esterne	750x815x2080 mm
Dimensioni imballo	770x880x2235 mm

Technical data

Alimentazione	Electric
Amperaggio	3.53 A
Capacità	700 Lt
Capacità netta	625 Lt
Classe energetica	C
Frequenza	50 Hz
Gas refrigerante	R290
Peso	140 kg
Peso lordo	152 kg
Potenza Elettrica	0.57 kW
Potenza frigorifera	0.593 kW
Refrigerazione	ventilated
Sbrinamento	automatic
Temperatura d'esercizio	-10 -22 °C
Voltaggio	230 V

Standard equipment

--	--

In dotazione

3 griglie plastificate GN2/1 con guide
INOX per ciascuna porta