

Cod: 104440031319

Refrigerated stainless steel freezer cabinet 3 glass doors 2300 litres ventilated -10 -20°C



Description

The product features an all-AISI 304 stainless steel construction with glass doors.

General features:

- 2/1 Gastronorm cabinets with a depth of 815 mm
- interior with rounded corners and moulded bottom
- 75 mm ecological polyurethane insulation
- racks (52 mm pitch) and AISI 304 stainless steel guides
- ventilated refrigeration with evaporator treated with anti-corrosion paint
- easily replaceable monobloc refrigerating unit
- double refrigerating unit
- glass door models with class N condensing unit (max +32°C)
- refrigerant gas R290 (propane)
- electronic Energy Saving control panel with HACCP function
- temperature and dirty condenser alarm management

- rapid cooling "Overcooling" function
- possibility of high and low humidity setting
- automatic hot gas defrosting
- serial port for connection to supervisory systems
- automatic condensate evaporation with hot gas tube
- internal lighting
- key lock
- self-closing doors with 105° stop
- easily replaceable magnetic seals
- height-adjustable stainless steel feet (130-200 mm)

N.B. :To take advantage of the Industry 4.0 tax credit select the WIFI option.

Dimensions

Dimensioni esterne	2250x815x2080 mm
Dimensioni imballo	2290x880x2235 mm

Technical data

Alimentazione	Electric
Amperaggio	10.8 A
Capacità	2300 Lt
Capacità netta	2102 Lt
Frequenza	50 Hz
Gas refrigerante	R290
Peso	389 kg
Peso lordo	421 kg
Potenza Elettrica	1.7 kW
Potenza frigorifera	1.718 kW
Temperatura d'esercizio	-10 -20 °C
Voltaggio	230 V

Standard equipment

In dotazione	3 griglie plastificate GN2/1 con guide INOX per ciascuna porta
--------------	--

